OUTDOOR WALL LIGHTS

Reed



SPECIFICATIONS

PRODUCT TYPE	Outdoor Wall Lights
WIDTH	6.2 in / 16 cm
HEIGHT	16.7 in / 42 cm
MATERIALS & FINISH	Stainless steel, acrylic
LIGHT SOURCE	LED included, 50,000+ hours
COLOR TEMPERATURE	Warm or cool white
WEATHER RATING	IP65
INSTALLATION	Wall-mounted, touch switch
WATERPROOF RATING	IP65

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


COLOR
Warm White, Cool White

KEY FEATURES

- **Contemporary arc design.** Enhances modern décor with a clean silhouette.
- IP65 waterproof protection: Suitable for both indoor and outdoor use.
- **Available in warm or cool white.** Tailors to your lighting preference.
- **LED bulbs included.** Offers long-lasting illumination (50,000+ hours).
- **Easy wall-mount setup.** Features a convenient touch on/off switch for effortless operation.
- **Lifespan.** 50,000+ hours

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED

Dimensions



FRONT ELEVATION · NOT TO SCALE

AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	6.2 in / 16 cm	16.7 in / 42 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Reed · Outdoor Wall Lights	
DRAWING NO. TX-OW-34016-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Reed currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

COLOR	CATALOGUE NO.
Warm White	TX-OW-34016-01
Cool White	TX-OW-34016-02

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

LIGHT SOURCE	LED included, 50,000+ hours
COLOR TEMPERATURE	Warm or cool white
RATING	IP65
INSTALLATION	Wall-mounted, touch switch

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a recessed wall junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the backplate, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A recessed wall junction box at the planned mounting height
- ☐ Supply voltage confirmed for your region
- ☐ Wall surface flat and able to carry the fixture's weight
- ☐ A dimmer, if used, rated for the light source
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

BESIDE A DOOR

Fixture about ¼–⅓ the height of the door; centre around 66 in (168 cm) above the threshold.

SPACING

Along a wall or path, space fixtures every 8–10 ft (2.4–3 m).

WEATHER

Mount to a weather-rated outdoor box and seal the backplate as your local code requires.

> **Safety.** Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?

Call or text (813) 790-7240 · support@tiixo.com

9am – 5pm Eastern, seven days. We reply within 12 hours.

Returns. 30 days from delivery, no restocking fee.